		Revision nr. 4
1	feral	
AUTO GS S.A.		
AUI	0 G5 5.A.	
UPHOLSTERY CLEANER		Printed on 13/04/2021
		Page n. 1/12
	Safety data sheet	
	Salety data Sheet	
SECTION 1. Identification of the s	substance/mixture and of the compar	ny/undertaking
4.4. Droduct identifier		
1.1. Product identifier Code:	18406-18603-18644-18608-18704	
Product name	UPHOLSTERY CLEANER	
UFI	49DC-C1G6-WQ1Q-JHXN	
1.2. Relevant identified uses of the substance	or mixture and uses advised against	
Intended use	Upholstery cleaner	
1.3. Details of the supplier of the safety data s Name	sheet AUTO GS S.A.	
Full address	PROEKTASI MAIANDROY-(ANOTHEN PERIF	EREIAKOY EVOSMOS)
District and Country	57013 THESSALONIKI (THESSALONIKI)	,
	GREECE Tel. +30 2310 688051	
	Fax +30 2310 688052	
e-mail address of the competent person		
responsible for the Safety Data Sheet	steve_gagas@yahoo.gr	
Product distribution by	AUTO GS S.A.	
1.4. Emergency telephone number		
For urgent inquiries refer to	+30 210 7793777	

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Serious eye damage, category 1	H318	Causes serious eye damage.

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

	feral	Revision nr. 4
	AUTO GS S.A.	Dated 13/04/2021
	UPHOLSTERY CLEANER	Printed on 13/04/2021
		Page n. 2/12
Signal words:	Danger	
Hazard statements:		
H318 EUH208	Causes serious eye damage. Contains: REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC no. ISOTHIAZOL-3-ONE [EC no. 220-239-6] (3:1) May produce an allergic reaction.	. 247-500-7] AND 2-METHYL-2H -
Precautionary statements	X.	
P102 P280 P305+P351+P338 P310	Keep out of reach of children. Wear eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lens rinsing. Immediately call a POISON CENTER / doctor.	ses, if present and easy to do. Continue
Contains:	POLY(OXY-1,2-ETHANEDIYL), .ALPHA(CARBOXYMETHYL)OMEGA(DEOL	DECYLOXY)-, SODIUM SALT
CONTAINS: Polycarbo Benzisothiazolinone.	xylates less than 5%, Perfume, Limonene, Preservation agents, Methylchl	oroisothiazolinone, Methylisothiazolinone,

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification.	Conc. %.	Classification 1272/2008 (CLP).
POLY(OXY-1,2-ETHANEDIYL), .ALPHA (CARBOXYMETHYL)OMEGA(DEODECYLOXY)-, SODIUM SALT CAS. 33939-64-9	3-< 5	Eve Dam. 1 H318
EC. 608-922-0	3-< 3	
INDEX		
Reg. no. 01-2119488876-14-XXXX		
REACTION MASS OF: 5-CHLORO-2-METHYL-4- ISOTHIAZOLIN-3-ONE [EC no. 247-500-7] AND 2- METHYL-2H -ISOTHIAZOL-3-ONE [EC no. 220-239- 6] (3:1)		
CAS. 55965-84-9	0 -< 0,0015	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3



Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021

Page n. 3/12

H301, Skin Corr. 1B H314, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100

EC. -INDEX. 613-167-00-5 Reg. no. 05-2114483051-57-XXXX

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.



Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 4/12

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.



Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 5/12

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance

liquid



Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 6/12

Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation rate Flammability (solid, gas) Lower inflammability limit. Upper inflammability limit. Lower explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature. Decomposition temperature. Viscosity Explosive properties Oxidising properties

as showed in color folder aromatic Not available. 7.8-9.4 Not available. Not available. Not available. > 65 °C. Not available. 0,97-1,04 Not available. Not available. Not available. Not available. Not available. Not available. Not available.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.



AUTO GS S.A.

UPHOLSTERY CLEANER

Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 7/12

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration. This product contains sensitizing substance/s and may cause allergic reactions.

POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-(CARBOXYMETHYL)-.OMEGA.-(DEODECYLOXY)-, SODIUM SALT LD50 (Oral).> 2000 mg/kg Rat

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC no. 247-500-7] AND 2-METHYL-2H -ISOTHIAZOL-3-ONE [EC no. 220-239-6] (3:1) LD50 (Oral).53 mg/kg Rat LD50 (Dermal).141 mg/kg Rat

SECTION 12. Ecological information.

12.1. Toxicity.

POLY(OXY-1,2- ETHANEDIYL), .ALPHA (CARBOXYMETHYL)- .OMEGA(DEODECYLOXY)- , SODIUM SALT LC50 - for Fish.	> 1 mg/l/96h
REACTION MASS OF: 5- CHLORO-2-METHYL-4- ISOTHIAZOLIN-3-ONE [EC no. 247-500-7] AND 2- METHYL-2H -ISOTHIAZOL- 3-ONE [EC no. 220-239-6] (3:1)	
LC50 - for Fish.	0,19 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea.	0,16 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants.	0,003 mg/l/72h
Chronic NOEC for Fish.	0,098 mg/l Onchorhyncus mykiss
Chronic NOEC for Crustacea.	0,004 mg/l Daphnia
Chronic NOEC for Algae /	0,0012 mg/l Pseudokirchneriella subcapitata



AUTO GS S.A.

UPHOLSTERY CLEANER

Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 8/12

Aquatic Plants.

12.2. Persistence and degradability.

POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-(CARBOXYMETHYL)-.OMEGA.-(DEODECYLOXY)-, SODIUM SALT Rapidly biodegradable.

12.3. Bioaccumulative potential.

 REACTION MASS OF: 5

 CHLORO-2-METHYL-4

 ISOTHIAZOLIN-3-ONE [EC

 no. 247-500-7] AND 2

 METHYL-2H -ISOTHIAZOL

 3-ONE [EC no. 220-239-6]

 (3:1)

 Partition coefficient: n

 octanol/water.

 BCF.

 3,16

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.



Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 9/12

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

		-	-
T	e/		
_	-		

AUTO GS S.A.

UPHOLSTERY CLEANER

Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 10/12

Seveso category.

None.

3

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product. Point.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H310	Fatal in contact with skin.



Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 11/12

H330 Fatal if inhaled. H301 Toxic if swallowed H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H400 Verv toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 830/2015
- 11. Regulation (EU) 217/2020
- 12. Regulation (EU) 828/2020
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website



Revision nr. 4

Dated 13/04/2021

Printed on 13/04/2021 Page n. 12/12

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 02 / 03 / 08 / 11 / 12 / 13 / 15 / 16.